

产品介绍

.

产品特点

CFR
CFR

3

4:1 18:1

6

4:1

∫ ∑

6

WIFI

EXCEL
LIMS

KI O.N. KI

•

•

+

WIFI

CO NO SO₂ PM2.5

技术参数

GB/T 5487, GB/T 503, ASTM D2699, ASTM D2700,
IP 236 IP 237 EN ISO 5163 EN ISO 5164

40 120

82.55mm 3.250inch

114.30mm 4.50inch

0.61L 37.33in³

				4:1	18:1
				900rpm ± 9rpm	600rpm ± 6rpm
				0.20mm ± 0.025mm	0.008in ± 0.001in
				0.51mm ± 0.13mm	0.020in ± 0.005in
				172	207kPa 25psi 30psi
				57 ± 8	135 ± 15
				100 ± 1.5	212 ± 3
				149 ± 1	300 ± 2
				38 ± 2.8	100 ± 5
				52 ± 1	(125 ± 2) ± 1
				26°btdc	ε=5.0 13°btdc
				USB,RS232	
				LIMS WIFI	
				12KW	
				3.5KW	
				5 35	20 90% RH
				AC380V ± 10%,50Hz AC220V ± 10% 50Hz	
				1720mm	× 800mm × 1700mm
				1700 KG	